

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	450	(380/210).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:53
L2	353	1 and @ay <="2003"	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:54
L3	322	2 and (image or camera or video)	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:03
L4	474	(380/54).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:56
L5	389	4 and @ay <="2003"	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:56
L6	348	5 and (image or camera or video)	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:56
L7	103	(380/287).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:57
L8	94	7 and @ay <="2004"	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:00
L9	156	(283/17).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:00
L10	62	9 and @ay <="2003"	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:01
L11	208	(283/73).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:01
L12	99	11 and @ay <="2003"	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:01
L13	403	(713/161).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:01
L14	208	13 and (camera or imag\$4 or video)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:02
L15	2657	(382/232).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:02
L16	1969	15 and @ay <="2003"	US-PGPUB; USPAT	OR	OFF	2008/01/18 13:03
L17	1909	16 and (camera or imag\$4 or video)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:03
L18	221	discriminat\$4 with (scrambl\$4)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:14
L20	0	18 same ((add\$4 or append\$4) terminat\$4)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:16
L21	1	18 same ((add\$4 or append\$4) (information or message))	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:18
L22	1	3 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:19

## EAST Search History

L23	2	6 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:20
L24	0	8 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:20
L25	0	10 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:20
L26	1	13 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:21
L27	0	17 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:22
L28	0	10 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:22
L29	0	9 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:22
L30	2556	encrypt\$4 near5 encode\$4 near5 (imag\$4 or data)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:23
L31	115	30 near5 block	US-PGPUB; USPAT	OR	ON	2008/01/18 13:25
L32	0	31 and 18	US-PGPUB; USPAT	OR	ON	2008/01/18 13:24
L33	0	31 with ((add\$4 or append\$4) information)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:26
L34	0	31 same ((add\$4 or append\$4) information)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:27
L35	0	(encrypt\$4 and decrypt\$4 and encod\$4 and decod\$4) and (imag\$4 data blocok)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:28
L36	7972	(encrypt\$4 and decrypt\$4 and encod\$4 and decod\$4) and (imag\$4)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:28
L37	2268	(encrypt\$4 and decrypt\$4 and encod\$4 and decod\$4) and (data block)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:29
L38	1922	37 and (image or camera or video or picture)	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:29
L39	0	38 and 18	US-PGPUB; USPAT	ADJ	ON	2008/01/18 13:29
L40	6	Junichi-hayashi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 13:30

## EAST Search History

L41	6	L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 13:31
L43	0	((image data) and (encrypt\$4) and (encoded image data block) and (decrypt\$4) and (inputt\$4 data block) and (determin\$4 to be encrypted) and (discriminat\$4 to be reprouced in a scrambling mode or non-scrambling mode) and (add\$4 terminating information) and (scrambling mode and start\$4 position of the data block encrypted in the encryption) and (non-scrambling mode and end\$4 position)).clm.	US-PGPUB; USPAT	ADJ	ON	2008/01/18 14:34
L44	1	"6873711".pn.	USPAT	OR	OFF	2008/01/18 14:34
L45	1	"6826290".pn.	USPAT	OR	OFF	2008/01/18 14:35
L46	1	"7006257".pn.	USPAT	OR	OFF	2008/01/18 14:36
L47	1	"7142689".pn.	USPAT	OR	OFF	2008/01/18 14:36
L48	1	"7142689".pn.	USPAT	OR	OFF	2008/01/18 14:36
L49	1	"6741758".pn.	USPAT	OR	OFF	2008/01/18 14:37
L50	1	"7146502".pn.	USPAT	OR	OFF	2008/01/18 14:37
L51	1	"7272239".pn.	USPAT	OR	OFF	2008/01/18 14:38
L52	1	"1287284".pn.	USPAT	OR	OFF	2008/01/18 14:38
L53	1	"7287284".pn.	USPAT	OR	OFF	2008/01/18 14:38
L54	1	"7167988".pn.	USPAT	OR	OFF	2008/01/18 14:39
S1	127	(380/269).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/31 13:25
S2	10	S1 and (entropy)	US-PGPUB; USPAT	OR	OFF	2007/08/13 11:27
S3	2	S1 and (entropy) and (rectangular)	US-PGPUB; USPAT	OR	OFF	2007/05/31 13:29
S4	6	"789986".ap.	US-PGPUB; USPAT	OR	OFF	2007/08/12 17:14
S5	0	"2004000326".pn.	US-PGPUB; USPAT	OR	OFF	2007/08/12 17:18
S6	1	"20040003261".pn.	US-PGPUB; USPAT	OR	OFF	2007/08/12 17:18

## EAST Search History

S7	20	("20010055390" "20020172398" "20020199106" "20030059086" "20030128863" "20030202680" "20030204812" "20030210803" "20040003261" "6535616").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 11:28
S8	1	"6931534".pn.	USPAT	OR	OFF	2007/08/13 15:21
S9	1	"20040165723".pn.	US-PGPUB; USPAT	OR	OFF	2007/08/13 15:21
S10	12	("5195135"   "5715316"   "5805700"   "5845088"   "5898779"   "5953506"   "6026164"   "6216228"   "6449718"   "6557102").PN. OR ("6931534").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/13 17:20
S11	714663	(encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 17:40
S12	45776	S11 and rectangular	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 17:21
S13	1918	S12 and ("not overlap\$4" or non-overlap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:22
S14	83	S13 and entropy encoding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:22

## EAST Search History

S15	6	S14 and quantiza\$4 index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:32
S16	6	S15 and spatial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:44
S17	6	S16 and (location position place address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:36
S18	541619	(decod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 17:40
S19	351237	(decod\$4) and (position location address place)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:41
S20	82518	S19 and (terminat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:42
S21	10104	S20 and (encrypt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:42

## EAST Search History

S22	3	S16 and (flag tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:44
S23	114051	(insert or add) with ((position or location) information)	US-PGPUB; USPAT	OR	OFF	2007/08/13 20:29
S24	657	(insert or add) with ((position or location) information)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:13
S25	178	S24 and (decod\$4)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:43
S26	134	S25 and (start\$4)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:14
S27	6	S25 and ((start\$4 or begin\$4) (postion or location))	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:15
S28	313	(insert or add or append) with (position information)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:31
S29	16	S28 with (begin\$4 or start\$4)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:32
S30	1	S28 with (begin\$4 or start\$4) with (block or stream)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:32
S31	11	S24 with (decod\$4)	US-PGPUB; USPAT	ADJ	OFF	2007/08/13 20:43
S32	149	(append or add or insert)(location information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:36
S33	0	(append or add or insert)(location information) (block or stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:37
S34	9	((append or add or insert)(location information)) same (block or stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:40

## EAST Search History

S35	0	((append or add or insert)(location information)) same (block or stream) same (start\$4 or begin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:41
S36	119	((append or add or insert)(location or position)) same (block or stream) same (start\$4 or begin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:42
S37	1	((append or add or insert)(location or position) information) same (block or stream) same (start\$4 or begin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 21:42
S38	2515	(713/176).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 14:06
S39	0	(380/100).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 14:06
S40	2557	(382/100).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 14:07
S41	6	Junichi-hayashi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 13:30

## EAST Search History

S42	365	hayashi-Junichi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 14:08
S43	7	"789986".ap.	US-PGPUB; USPAT	OR	OFF	2008/01/18 12:53

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L43	0	((image data) and (encrypt\$4) and (encoded image data block) and (decrypt\$4) and (inputt\$4 data block) and (determin\$4 to be encrypted) and (discriminat\$4 to be reprouced in a scrambling mode or non-scrambling mode) and (add\$4 terminating information) and (scrambling mode and start\$4 position of the data block encrypted in the encryption) and (non-scrambling mode and end\$4 position)).clm.	US-PGPUB; USPAT	ADJ	ON	2008/01/18 14:34

NPL search



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(image data block) and (encryption) and (decryption) and (enc



THE ACM DIGITAL LIBRARY

[Feedback](#)

(image data block) and (encryption) and (decryption) and (encoding) and (decoding) and (scrambling) and (add terminating information)

Terms used:

**image data block encryption decryption encoding decoding scrambling add terminating information** 23

Sort results by

[Save results to a Binder](#)

Refine these results with [Advanced Search](#)

Display results

☐ Open results in a new window

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

1 [Randomized instruction set emulation](#)

Ads by Google



Elena Gabriela Barrantes, David H. Ackley, Stephanie Forrest, Darko Stefanović  
February 2005 **ACM Transactions on Information and System Security**  
(TISSEC), Volume 8 Issue 1

**Publisher:** ACM

Full text available: pdf(374.44 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Injecting binary code into a running program is a common form of attack. Most defenses employ a "guard the doors" approach, blocking known mechanisms of code injection. *Randomized instruction set emulation* (RISE) is a complementary ...

**Keywords:** Automated diversity, randomized instruction sets, software diversity

**Clustering**  
Real time data delivery. Comp event processi and analysis  
[www.gemstone.coi](#)

**Market Track,**  
The leader in r ad tracking, analysis and d ad achieves  
[www.markettrack.c](#)

**Image Analys Software**  
Easy to use im analysis softwa for microscopy  
[www.clemex.com](#)

**Document Scanning Ser**  
Free Online Qi Scan to PDF/T Serving the DC Metropolitan A  
[www.ignitedscanni](#)

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)